

MOSA

Электростанции GE 85 JSX EAS - GE 85 JMSX EAS



Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: mzs@nt-rt.ru || www.mosa.nt-rt.ru

STROOMAGGREGAAT GE 85 JSX EAS - GE 85 JMSX EAS

- JCB watergekoelde dieselmotor - 1500 rpm
- EP6 motorbeveiliging
- GE 85 JSX – STAMFORD driefase synchrone generator
- GE 85 JMSX – MARELLI driefase synchrone generator
- 4 polige hoofdschakelaar
- Super geluidgedempt
- Carter aftappomp
- Lekbak
- Onderstel (optie)
- Voorbereid voor noodstroom / start-stop op afstand
- Robuuste machine, grote brandstoftank



Standaard uitrusting											
	Diesel engine	Water cooling	Battery 12V	Fuel level gauge	Engine protection	Electric Starter	low press. shut down	high water shut down	over speed shut down	low fuel Shut down	battery charge alarm
						Rpm-meter	Hours-meter	Battery Voltmeter	Voltmeter	Frequency-meter	Remote start
Opties af fabriek											
	Synchronous alternator	Automatic Voltage Regulator	Circuit Breaker	Terminal block	Ammeter	Voltmeter phase selector	Emergency stop button	Siren	Ready for EAS/TCM	Central lifting eye	Warning lamp Water in fuel
	- Electrical panel with sockets : 1x400V 125A 3P+N+T CEE - 1x400V 63A 3P+N+T CEE - 1x400V 32A 3P+N+T CEE - 1x400V 16A 3P+N+T CEE - 2 x 230V 16A 2P+T CEE - The electrical panel requires an electrical protection : ELR-Earth Leakage Relay (GFI) or Isometer (Insulation monitors) - ELR-Earth Leakage Relay (GFI) - Isometer (Insulation monitors) - Volt adjustable from control panel - Radio-control - Gauges – water temperature and oil pressure - Water heater WH - Automatic fuel transfer pump - Permanent Magnet Generator - Fuel tank 120l - Fuel tank 350l 3-way valve fuel system with quick connection for external fuel tank feeding										
Opties							Uitvoering op verzoek				
	400 plugs	230 plugs	Automatic transfer unit (AMF) EAS 111-805	Remote control TCM35	Earthing kit	Site tow CTL115			24 h autonomy version		

Technische gegevens

GE 85 JSX EAS

GE 85 JMSX EAS

A.C GENERATOR – 50 Hz

Three-phase synchronous alternator, self-excited, self-regulated, brushless

- * Stand-by three-phase power
- * P.R.P. three-phase power
- * P.R.P. single-phase power
- Cos φ
- Insulation class

88 kVA (70.4 kW) / 400 V / 127 A
80 kVA (64 kW) / 400 V / 115.6 A
29 kVA / 230 V / 126 A
0.8
H

* Output powers according to ISO 8528-1

MOTOR

4-stroke diesel, turbocharged, direct injection, water cooled

- Model
- * Stand-By net power
- * P.R.P. net power
- Cylinders/ Displacement
- Speed
- Fuel consumption (75% of P.R.P.)

JCB 444 G-TC2
78.5 kW (106.8 HP)
71.1 kW (96.7 HP)
4/ 4.4 l (4400 cm³)
1500 rpm
14.3 l/h

* Powers according to ISO 3046-1

ALGEMENE SPECIFICATIES

- Tank capacity
- Running time (75% of P.R.P.)
- IP protection degree
- *Dimensions LxWxh (mm)
- *Dry weight
- **Measured acoustic power LwA (pressure LpA)
- **Guaranteed acoustic power LwA (pressure LpA)

230 l
16 h
IP 44
2740x1200x1720
1770 kg
95 dB(A) (70 dB(A) @ 7 m)
96 dB(A) (71 dB(A) @ 7 m)

* Dimensions and weight without trolley/trailer. **Acoustic power according to European Directive 2000/14/EC

Архангельск (8182)63-90-72
Астана +7(7172)727-132
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78

Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Единый адрес для всех регионов: mzs@nt-rt.ru || www.mosa.nt-rt.ru

